# **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,39

# HARDY TREES, SHRUBS

AND EVERGREENS LORATION


AND INTRODUCTION

APR 4 - 1947

ICE NEW ENGLAND CROWN


CHOICE NEW ENGLAND GROWN
STOCK

WHOLESALE PRICE LIST 1940



### VAN DER VOET NURSERY

158 Williams Street
TAUNTON, MASSACHUSETTS



(Quotations in all previous catalogues are void)

## VAN DER VOET NURSERY

### TAUNTON, MASSACHUSETTS

#### CONDITIONS OF SALE

- Prices—This list cancels all previous offers. The prices quoted in this list are net and subject to no discount.
- Terms—Usual Terms and Conditions. Orders from unknown parties must be accompanied with full cash or satisfactory references.
- Packing at Cost—Free with orders accompanied with cash.
- Complaints—Should there be any reason for complaint, we must be notified on receipt of goods, otherwise we cannot entertain it.
- Orders—Are accepted on condition that they shall be void should any injury befall the stock from frost, or other causes over which we have no control, and no less than TEN plants are sold at wholesale prices.

## HARDY TREES, SHRUBS AND EVERGREENS

Pric	e Each
ABIES concolor	
18 to 24 in. x x	.50
ACER saccharum	
10 to 12 ft. 1½-2 in. Cal	2.50
AMELANCHIER canadensis	
6 to 7 ft. Tree Type	.75
8 to 10 ft. Tree Type	1.00
ARONIA arbutifolia	
12 to 24 in. x lining out	$.07\frac{1}{2}$
2 to 3 ft. x lining out	.15
3 to 4 ft	.40
melanocarpa grandiflora	
3 to 4 ft	.40
AZALEA arborescens	
12 to 15 in. spread	.50
calendulacea	
2½ to 3 ft., B. B	1 50
kaempferi	1.00
24 to 30 in. heavy clumps B. B.	1.50
mucronulatum	
18 to 24 in. B. B.	1.50
24 to 30 in. B. B	2.00
poukhanensis	
12 to 18 in. spread B. B	1.00
schlippenbachi	
12 to 18 in. spread B. B.	1.00
18 to 24 in.	
vaseyi	
24 to 30 in. B. B	1.50
30 to 36 in. B. B.	2.00
A AA AA Tou	2.00

	ce Each
BERBERIS thunbergi	
12 to 18 in	
18 to 24 in	$.17\frac{1}{2}$
thunbergi atropurpurea	0.0
6 to 8 in. seedlings	
10 to 12 in. x	.10
vernae	0.5
18 to 24 n. strong	.25
CARAGANA lorbergi	
12 to 18 in	.10
CELASTRIS orbiculatus	
18 to 24 in. 3 year	$.17\frac{1}{2}$
CHIONANTHUS virginica	
3 to 4 ft	
4 to 5 ft.	.50
CLETHRA alnifolia	
12 to 18 in. "heavy cut back"	
18 to 24 in	.20
CORNUS siberica alba	
18 to 24 in	.10
florida	
3 to 4 ft. B. B	.50
4 to 5 ft. B. B	.75
5 to 6 ft. B. B	1.00
florida rubra	
18 to 24 in	.60
2 to 3 ft. B. B	1.00
3 to 4 ft. B. B	1.50
COTONEASTER apiculata	
6 in. pots	1.00
divaricata	
2½ in. pots	.10
horizontalis	
6 in. pots	.40
horizontalis purpusilla	
6 in. pots	.50
hupehensis	
6 in. pots	.40
CRATAEGUS arnoldiana	
	.40
3 to 4 ft	.50
5 to 6 ft. B. B.	1.00
6 to 7 ft. B. B.	1.50
7 to 8 ft. B. B.	
coccinea	
3 to 4 ft	.40
4 to 5 ft.	.50
5 to 6 ft. B. B.	.75
6 to 7 ft. B. B	1.00
nitida	
12 to 18 in. x	.10
18 to 24 in. x	.25
2 to 3 ft	.50
3 to 4 ft.	.75

	ce :	Each
prunifolia		
4 to 5 ft	\$ <sub>]</sub> .	50
5 to 6 ft. B. B.	1.	00
6 to 7 ft. B. B.	1.	50
oxycantha 6 to 7 ft. B. B	1.	50
punctata		
3 to 4 ft		
4 to 5 ft		
5 to 6 ft. B. B		
6 to 7 ft. B. B		
7 to 8 ft. B. B		
	4.	00
CYDONIA japonica		~ =
12 to 18 in. x		05
18 to 24 in. x	• • (	$07\frac{1}{2}$
alpina superba		
6 in. pots		35
3-year field plants	• 6	30
CYTISUS nigricans carlesi		
3½ in. pots	.2	25
sagittalis		
2 ½ in. pots	.1	15
EUONYMOUS		
alatus compacta 15 to 18 in	5	25
	• •	10
vegetus 6 to 8 in. 1 year field	(	)5
12 to 18 in. 2 year field		
EXOCHORDA geraldi var. Wilsoni	1 (	١.
3 to 4 ft	1.0	,,
FONTANESIA phillyrcoides		
2 to 3 ft	.5	0
3 to 4 ft	.7	<b>'</b> 5
FORSYTHIA int. primulina		
12 to 18 in. x	.0	5
18 to 24 in. x	.1	.0
2 to 3 ft	.1	.5
3 to 4 ft	.2	0
int. spectabilis		
2 to 3 ft	.1	.5
3 to 4 ft	.2	5
ovata		
12 to 18 in	.1	.0
2 to 3 ft	.3	0
FOTHERGILLA major		
3 to 4 ft	1.0	0
4 to 5 ft		
12 to 18 in. trspl		
monticola		
3 to 4 ft. B. B	1.0	0

	ce Each
HAMAMELIS vernalis	
2 to 3 ft	\$ .35
3 to 4 ft	.50
4 to 5 ft	.75
HEDERA helix baltica	
2½ in. pots	.10
ILEX convexa	
2½ in. pots, 1938	.10
12 to 18 in. spread B. B	
JUNIPERUS chinensis pfitzeriana	
18 to 24 in. x x x B. B.	1 95
3 to 4 ft. B. B	
4 to 5 ft. B. B	3.50
chinensis sargenti	15
6 to 10 in. x	.10
depressa plumosa	
8 to 12 in. x	.10
squamata meyeri	1 00
18 to 24 in. x x x B. B	
24 to 30 in. x x x B. B	1.50
virginiana kostereana	
18 to 24 in. B. B.	1.50
10 00 D + 111. D. D	1.00
KERRIA japonica fl. pl.	
12 to 18 in. x	.10
18 to 24 in. x 4-6 branches	
10 to 24 iii. A 4-0 prancties	.20
KOLKWITZIA amabilis	
2½ in. pots 1935	.05
12 to 18 in x	$.12\frac{1}{2}$
	.30
2 t <sub>0</sub> 3 ft	.30
LEUCOTHOE catesbaei	
18 to 24 in	.75
24 to 30 in. "heavy"	1.00
24 to 50 m. neavy	1.00
LIGUSTRUM ibolium	
18 to 24 in	.05
10 00 24 111	.00
LONICERA bella	
3 to 4 ft	.25
	.20
sachalinensis	~~
2 to 3 ft	.25
12 to 18 in	.10
tenuipes	
2½ in. pots	.10
, <b>_</b>	- <del>-</del>
MALUS arnoldiana	
4 to 5 ft	.50
5 to 6 ft	
6 to 7 ft	
7 to 8 ft	1.00
sargenti	
3 to 4 ft	
4 to 5 ft	.75

	ce Each
PACHISTIMA canbyi 2½ in. pots, strong	\$ .12 1/2
PHYSOCARPUS intermedius var. parviflorus	
2 to 3 ft	
PICEA asperata  18 to 24 B. B. x x x	1.50
excelsia clanbrasilliana 24 to 30 in. spread B. B.	2.50
remonti 12 to 18 in. B. B  pungens moerheimi	1.00
4 to 5 ft	
6 to 7 ft POLYGONUM auberti	8.00
5 in. pots	.50
8 to 10 ft	3.00
rubra 6 to 8 ft	1.50 2.00
RHODODENDRON caroliniana 12 to 18 in.	
maximum 2 to 3 ft. 3 to 4 ft.	1.50
ROSA	
Harrison's fellow 2 to 3 ft. heavy	.50
hugonis 2 to 3 ft. heavy	.40
spinosissima altaica 2 to 3 ft	.35
SORBUS aucuparia 5 to 6 ft.	.50
SPIREA van houtti 12 to 18 in	.04
2 to 3 ftSYRINGA microphylla	.10
18 to 24 in	.25
japonica 3 to 4 ft	.35 .50

Pric	ce Each
TAXUS baccata repandens	
18 to 24 in. spread B. B.	\$1.50
cuspidata 18 to 24 in. spread B. B	1.50
cuspidata capitata	2.00
12 to 18 in. B. B. x x x	
18 t <sub>0</sub> 24 in. B. B. x x x	1.00
cuspidata nana (brevifolia) 12 to 15 in. B. B. x x x	1.00
15 to 18 in. B. B. x x x	
intermedia	n=
12 to 15 in. B. B. x x x	
media hatfieldi	
2½ in. pots "1939"	
15 to 18 in. B. B. x x x	
media hicksi	
6 to 8 in. 2½ in. pots 1939	
18 to 24 in. B. B. x x x	
24 to 30 in. B. B. x x x	1.50
THUYA occidentalis	75
2 to 3 ft	
occidentalis pyramidalis	
3 to 4 ft. B. B	1.50
occidentalis rosenthali	
18 to 24 in. B. B	
occidentalis little gem	1.00
15 to 18 in. B. B	.75
18 to 24 in. B. B	1.00
TRIPTEREGIUM regali New Korea Royal S	hrub
2½ in. pots	.10
12 to 18 in	.25
18 to 24 in	.35
TSUGA canadensis	
18 to 24 in. B. B	.75
2 to 3 ft. B. B All	1.00 1.50
3 to 4 ft. B. B	2.00
5 to 6 ft. B. B.	3.00
carolinianum 2 to 3 ft	1.00
diversifolia	1.00
12 to 15 in. B. B. x x x	.50
VIBURNUM americanum	
3 to 4 ft	
4 to 5 ft	.35
carlesi	<b>F</b> 0
12 to 18 in. 6 in. pots	
LO VO LE III. D. D. IICAY y	1.00

	Each
dentatum	Each
12 to 18 in. x cut back\$	.05
18 to 24 in. x cut back	.10
2 to 3 ft	.17 1/2
3 to 4 ft	.25
lantana	
2 to 3 ft	.25
lentago	
12 to 18 in	$.07\frac{1}{2}$
18 to 24 in	$.12\frac{1}{2}$
2 to 3 ft	.25
molle	0.0
2 to 3 ft	.20 .25
4 to 5 ft.	.25
opulus	.00
12 to 18 in	.05
18 to 24 in.	.10
2 to 3 ft	.20
pubescens	
3 to 4 ft	.30
sargenti	
18 to 24 in	$.12\frac{1}{2}$
2 to 3 ft	.35
PERENNIALS	
Price	T31
	Each
AJUGA	
AJUGA brockbanki\$	.10
AJUGA brockbanki\$	.10
AJUGA brockbanki\$	.10
AJUGA brockbanki\$ reptans alba	.10
AJUGA brockbanki\$ reptans alba	.10
AJUGA brockbanki	.10 .10
AJUGA brockbanki	.10 .10 .10 .10
AJUGA brockbanki	.10 .10 .10 .10 .10
AJUGA brockbanki	.10 .10 .10 .10 .10 .15
AJUGA brockbanki	.10 .10 .10 .10 .10 .15
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15
AJUGA brockbanki	.10 .10 .10 .10 .10 .15
AJUGA brockbanki\$ reptans alba	.10 .10 .10 .10 .10 .15 .15 .15 .15
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15 .15
AJUGA brockbanki	.10 .10 .10 .10 .15 .15 .15 .15 .15
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15 .15 .15
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15 .15 .15 .10
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15 .15 .15 .10
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15 .15 .15 .10 .10
AJUGA brockbanki	.10 .10 .10 .10 .10 .15 .15 .15 .15 .15 .10

Price	Each
DORONICUM plantagium excelsum\$	
EUPHORBIA	
corrollata	.08
polychroma 2½ in. Rose pot	.10
HEMEROCALLIS	10
<b>6</b> · · · · · · · · · · · · ·	.10
lemoni	.15
HEUCHERA plue de feu	.10
HOSTEA	
parvifolia	.05
IBERIS	
sempervivens Snowflake	.10
Scarper viveins with writing and a second	•••
PHLOX paniculata	
- Company of the comp	.15
	.10
	.10
	.10
	.10
	.10
Maid Marian	.10
P. D. Williams	.20
	.10
	.15
divaricata laphami	
	.10
subulata Blue Hill	
subulata Nelsoni	
subulata vivid(All field plants)	.10
POLEMONIUM	
Blue Pearl	10
Diac I call	•••
PULMONARIA	
saccharata var. maculatum	.10
SEDUM	
spectabilis	10
spectabilis brilliant	
Spectorial Millionit	.10
VERONICA longifolia	
Blue Jay	.15
VINCA	4.0
minor alba 2½ in. pots	.10
VIOLA	
Maggie Mott 2½ in. pots	.10

	8
그 얼마바다 나는 아이는 아이는 아이는 아이나 아이나는 아이는 아이는 아이는 아이는 아이는 아이는 아이는 아이는 아이는 아이	
	\$ \$
시민들은 이 교육에 가장하는 것이 없는 것이 되어 있다.	
	C. C.
그와 시간에 하는 제가 되었는데 그는 가는 것이다.	
그리고 그렇게 그리고 있다. 그렇게 그 사이는 그렇다.	
	•
784	
	The second secon

